

Perceptions of neighborhood supports for walking

GIS and the 2015 National Health Interview Survey

Calvin Tribby and David Berrigan

Health Behaviors Research Branch

Behavioral Research Program

Division of Cancer Control and Population Sciences




NATIONAL CANCER INSTITUTE
Cancer Prevention Fellowship Program

FCSM Geospatial Interest Group
October 26, 2018

Background

- GIS data and perceptions of the environment have independent and joint associations with health behaviors



- The use of these two measures is inherently a geospatial research question:
 - Data quality
 - Scale
 - Integration of data: survey responses and audits



National Health Interview Survey

- Sponsor: National Center for Health Statistics (CDC)
- Population: Nationally representative of the US noninstitutionalized adults (≥ 18)
- Modules
 - Core questions every year
 - Cancer module asks about cancer screening, walking for leisure and transportation, perceptions of neighborhood environment

NHIS Domains of Neighborhood Perceptions

- **Weather** influence on walking (n=1)
- Suitability of walking **infrastructure** (n=2)
- Availability of walking **destinations** (n=3)
- Walking and **safety** (n=3)



T4A.org

Research on Perceptions and Neighborhoods

- **Positive** neighborhood perceptions correlate with **higher** physical activity
- Match between perceptions and GIS data:
 - Those whose perceptions **matched** their GIS measured highly walkable neighborhood had less decline in walking
 - Similar result for change in BMI
- **Implication**: One measure of the neighborhood is an incomplete picture for associations with health behaviors

(Troped, et al. 2011; Gebel, et al. 2011)

Geospatial Concerns with Perceptions and Neighborhoods

- Spatial congruence:
 - Perceptions are better linked to self-defined neighborhoods
 - Problematic to use arbitrary neighborhoods
- Arbitrary neighborhoods:
 - Self-defined are much smaller than Census tracts
 - Vary with demographics and built environments
- Implication: Spatial mismatch between perceptions and measurements of neighborhood extent matters



(Tribby, et al. 2016; 2017; Coulton, et al. 2013)

Protecting Privacy


- Neighborhood perception data are free and publicly available

- Linkage with location data requires an NCHS Research Data Center (RDC)
 1. Application and approval of project
 2. Onsite or remote analysis options
 3. Aimed at protecting confidentiality of survey respondents



<https://www.cdc.gov/rdc/>

2015 NHIS: Prevalence of any walking in past 7 days



From: Carlson, et al. *In Press Am J Prev Med*

Linking 2015 NHIS to Walkability Index

- CDC – NCI collaboration on walking behavior, perceptions, and GIS data of neighborhoods
 - NHIS walking trips
 - EPA's walkability index
 - Census block group level



HHS, 2015

Watson, et al. abstract submitted to 2019 ACSM

Discussion

- 2015 NHIS is a rare federal resource that allows linkage of neighborhood perceptions and GIS data for associations with health behaviors
- Trade off between national scale surveillance of health behaviors versus specificity of measures
- Data: <https://www.cdc.gov/nchs/nhis>

Thanks!

calvin.tribby@nih.gov

berrigad@nih.gov

Health Behaviors Research Branch

Behavioral Research Program

Division of Cancer Control and Population Sciences

National Cancer Institute

References

- Carlson, S. A., G. P. Whitfield, E. L. Peterson, E. N. Ussery, K. B. Watson, D. Berrigan, and J. E. Fulton. 2018. Geographic and Urban–Rural Differences in Walking for Leisure and Transportation. *American Journal of Preventive Medicine*. <http://www.sciencedirect.com/science/article/pii/S074937971832110X> (last accessed 25 October 2018).
- Coulton, C. J., M. Z. Jennings, and T. Chan. 2013. How Big is My Neighborhood? Individual and Contextual Effects on Perceptions of Neighborhood Scale. *American Journal of Community Psychology* 51 (1–2):140–150.
- Gebel, K., A. E. Bauman, T. Sugiyama, and N. Owen. 2011. Mismatch between perceived and objectively assessed neighborhood walkability attributes: Prospective relationships with walking and weight gain. *Health & Place* 17 (2):519–524.
- Tribby, C. P., H. J. Miller, B. B. Brown, K. R. Smith, and C. M. Werner. 2017. Geographic regions for assessing built environmental correlates with walking trips: A comparison using different metrics and model designs. *Health & Place* 45:1–9.
- Tribby, C. P., H. J. Miller, B. B. Brown, C. M. Werner, and K. R. Smith. 2016. Assessing built environment walkability using activity-space summary measures. *Journal of Transport and Land Use* 9 (1):187–207.
- Troped, P. J., K. Tamura, H. A. Whitcomb, and F. Laden. 2011. Perceived Built Environment and Physical Activity in U.S. Women by Sprawl and Region. *American Journal of Preventive Medicine* 41 (5):473–479.